# MINUTES OF A SPECIAL MEETING of the CACHUMA OPERATION & MAINTENANCE BOARD

# TELECONFERENCE GOVT. CODE SECTION 54953 (b)

#### held at

3301 Laurel Canyon Road Santa Barbara, CA

Wednesday, September 21, 2011

### 1. Call to Order, Roll Call

The meeting was called to order at 11:30 a.m. by President Lauren Hanson, who chaired the meeting. Those in attendance were:

#### **Directors Present:**

Lauren Hanson Goleta Water District
Dale Francisco City of Santa Barbara

Montagita Water District

Doug Morgan Montecito Water District

Robert Lieberknecht Carpinteria Valley Water District Dennis Beebe (via phone) SYR Conservation Dist ID#1

### Others present

Bruce Mowry
Jim Colton
Charles Hamilton
Karl Meier
Tony Trembley
John McInnes
Tom Mosby
Ruth Snodgrass

#### 2. Public Comment

There were no comments from the public.

- 3. [Closed Session]: Conference With Legal Counsel Anticipated Litigation [Government Code Section 54956.9]
  - a. Significant Exposure to Litigation Pursuant to Government Code Section 54956.9(b): one case

Counsel Tony Trembley stated Item 3 a is with respect to AECOM Task Order 37.

b. Initiation of Litigation Pursuant to Government Code 54956.9(c): one case

The Board went in to closed session at 11:33 a.m. and came out of closed session at 1:14 p.m.

### 4. Report Out Of Closed Session

Counsel Tony Trembley stated that there was no action to report out of closed session.

# 5. Termination of AECOM Task Order No. 37 [Design Services For Modified South Coast Conduit Upper Reach Reliability Pipeline Project]

Director Francisco moved to terminate AECOM Task Order No. 37 for convenience effective September 21, 2011, seconded by Director Morgan.

The motion was passed by a roll call vote:

Aves: Francisco, Lieberknecht, Morgan, Hanson

Nayes: None Abstain: Beebe Absen:t None

## 6. COMB Adjournment

There being no further business, the meeting was adjourned at 1:16 p.m.

Respectfully submitted,

Bruce Mowry, Secretary of the Board

APPROVED:

Lauren Hanson, President of the Board